

Alloy Towers

The Height of Innovation

THE BETA GUARD NO BRACE SYSTEM.

An incredible balance of elegant simplicity and unparalleled safety will leave conventional alloy tower systems trailing in its wake. Addressing the need for quick erection & dismantling whilst vastly improving the safety of the user during the erection process compared to existing systems reliant upon the 3T (through the trap) method will make this the system of choice for the safety & production conscious contractor.

- ✓ **Revolutionary** “No Brace” technology reduces components
- ✓ Integrated bracing improves structural safety
- ✓ Simple & quick erection & dismantling
- ✓ Unobstructed multi height working through frame apertures
- ✓ Walk in walk through access at ground level
- ✓ No trip hazard on entry
- ✓ Assembly within footprint of tower - not footprint of stabilisers
- ✓ Risk of lost/stolen components minimised
- ✓ Can be used as bridging component removing need for bridging lattice beams



Towers Explained

All of our alloy towers are available in two frame width sizes:

- ✓ Double Width - 1515mm wide frames
- ✓ Single (Narrow) Width - 920mm Wide Frames

Once you have chosen your width according to the space available in which you are working you can then choose between two platform lengths:

- ✓ Standard Platform Length - 2.5 metres
- ✓ Short Platform Length - 1.8 metres

When ordering Towers it is important that you are clear as to what height you need to achieve. There are several heights that are commonly referred to:

Platform Height

The standing height of your FEET from the ground

Handrail Height

The guardrail protection at your WAIST height from the ground

Working Height

The height of your HEAD from the ground

Note: All hire rates are charged to the Handrail Height.

BETAGUARD "NO BRACE" TOWER SYSTEM

Revolutionary new innovation in alloy tower which does away with the need for traditional bracing. Unique integrated bracing within the BetaGuard frame reduces loose components to an absolute minimum whilst improving structural safety. Towers are quicker & safer to erect and significantly reduce the potential for costly losses of components through theft on site.

Standard = 1.5 x 2.5m / 1.5 x 1.8m (Base)

Narrow = 0.9 x 1.8m / 0.9 x 2.5m (Base)

HANDRAIL	WEEKLY
Handrail 3.2m	124.00
Handrail 4.2m	145.00
Handrail 5.2m	177.00
Handrail 6.2m	200.00
Handrail 7.2m	240.00
Handrail 8.2m	265.00
Handrail 9.2m	287.00
Handrail 10.2m	310.00



TO SEE A SHORT FILM OF THIS
TOWER BEING ERRECTED VISIT
OUR WEBSITE

www.supplyuk.co.uk

TRADITIONAL ALLOY TOWER



HANDRAIL 1.5 x 2.5m or 1.8m Weekly

Handrail 3.2m	90.00
Handrail 4.2m	118.00
Handrail 5.2m	150.00
Handrail 6.2m	174.00
Handrail 7.2m	202.00
Handrail 8.2m	226.00
Handrail 9.2m	242.00
Handrail 10.2m	270.00

Lightweight, strong and very easy to erect and dismantle, giving instant and safe aerial access both indoors and out.



TO SEE A SHORT FILM OF THIS TOWER BEING ERECTED VISIT OUR WEBSITE

www.supplyuk.co.uk

Traditional Standard = 1.5 x 2.5m / 1.5 x 1.8m (Base)

TRADITIONAL ALLOY TOWER NARROW



HANDRAIL 0.9 x 1.8m or 2.5m Weekly

Handrail 3.2m	90.00
Handrail 4.2m	118.00
Handrail 5.2m	150.00
Handrail 6.2m	174.00
Handrail 7.2m	202.00
Handrail 8.2m	226.00
Handrail 9.2m	242.00
Handrail 10.2m	270.00


Lightweight, strong and very easy to erect and dismantle, giving instant and safe aerial access both indoors and out.



TO SEE A SHORT FILM OF THIS TOWER BEING ERECTED VISIT OUR WEBSITE

www.supplyuk.co.uk

Traditional Narrow = 0.9 x 1.8m / 0.9 x 2.5m (Base)

PRODUCT	MINIMUM HIRE PERIOD	STAIRWAY TOWER
Stairway 2.8m	188.00 per wk	
Stairway 4.3m	234.00 per wk	
Stairway 5.8m	276.00 per wk	
Stairway 7.3m	302.00 per wk	


Stairway towers provide the ideal solution to problems encountered when working in stairwells both in the work place and at home. Quick and easy to erect, available in a range of heights to suit requirements.



PRODUCT	MINIMUM HIRE PERIOD	PODIUM PLATFORM
Podium - 1m	78.00 per wk	
Podium - 1.5m	94.00 per wk	

Podium Steps are the new alternative to traditional step ladders offering the user all round protection at height, lightweight and easily transportable due to their design these steps are being increasingly specified on many major sites.



PRODUCT	MINIMUM HIRE PERIOD	FOLDING TOWER / SIGMA DECK
Sigma Deck	76.00 per wk	
Base Unit 1.8m	76.00 per wk	
Extension Pack 2m	32.00 per wk	

Quick and instantly erected simply by opening up and setting your platform and cross braces. Ideal for decorators and indoor trades whilst also able to be increased in height with additional frames.



How Hard Can It Be To Get 3 Feet Off The Ground?

Well as most maintenance, M & E and a host of other contractors will probably testify - It isn't that easy anymore...

Whilst safety has to be everyone's priority we still have to be able to get the job done and in truth a lot of low level access equipment simply proves so cumbersome & awkward that even the simplest of tasks turns into a hassle.

...Well start taking things easier. Introducing the new DELTA DECK.

DELTA DECK LOW LEVEL ACCESS PLATFORM



A simple, quick and practical solution to a host of low level access requirements from simply changing a light bulb to more serious contracting installations.

Can accommodate up to 2 people with a maximum S.W.L of 200kg. Multiple platform heights from 450mm to 870mm allowing a maximum working height of 3m.

Simple operation means no requirement to be PASMA trained and platform can be safely accessed from either end for quick & efficient working.

Easy one man lift and carry enables fast erection, movement or dismantling by simply opening out the frames, pulling out telescopic legs to desired height and locking.



PRODUCT	MINIMUM HIRE PERIOD
Delta Deck	74.00 per wk

PRODUCT	MINIMUM HIRE PERIOD	SHERPASCOPIIC STEPS
4-6 Tread	82.00 per wk	
7-9 Tread	105.00 per wk	

The Sherpascopic is the safe alternative to the use of traditional step ladders. Designed to comply with the new Working at Height regulations they are packed with a number of safety features:



PRODUCT	4-6 Tread	7-9 Tread
CLOSED LENGTH	2.38m	3.13m
PLATFORM HEIGHT	1.06m-1.52m	1.77m-2.23m
BASE WIDTH	2.15m	2.90m
BASE SPREAD	1.4m-1.7m	1.9m-2.2m
WEIGHT	30kg	36kg

- ✓ VERY STURDY DESIGN
- ✓ OUTRIGGERS FOR ADDITIONAL STABILITY
- ✓ PREVENTION OF TOPPLING FROM ALL SIDES
- ✓ INTEGRAL SAFETY GATE
- ✓ LARGE PLATFORM
- ✓ HEIGHT ADJUSTABLE
- ✓ NF P 93-352 CERTIFIED



POP UP PLATFORM



PRODUCT

Pop Up

MINIMUM HIRE PERIOD

210.00 per wk

The new access all areas mobile platform which even fits through a standard doorway. A safe alternative to ladders or steps featuring:

- Safe and simple one man operation
- Platform heights of up to 1.63m
- Working Heights of up to 3.63m
- Safe working load of 240Kg
- Compact base size (1.5 x 0.7m)
- Easy to manoeuvre
- No formal operator training required



POP UP PLUS



PRODUCT

Pop Up Plus

MINIMUM HIRE PERIOD

231.00 per wk

This is a new version of the pop up that can now give a platform height of 2.6 metres with a working height of 4.5 metres.

- Working height up to 4.5m
- No more stabilisers
- NEW auto brakes as standard
- NEW improved heavy duty castors
- NEW Trojan battery for improved performance
- Confined space handrail and buffer wheels available



PRODUCT	MINIMUM HIRE PERIOD	STABLS HANDRAIL TRESTLE SYSTEM
---------	---------------------	--------------------------------

Stabls System	24.00 per wk
---------------	--------------

A quicker & cheaper alternative to traditional scaffolding which can be easily erected without the need for specialist scaffolders ensuring down time is kept to a minimum with the benefit of reduced costs. Easily moved around on site for continuous productivity without the need for any specialist tools when erecting or dismantling.



- Fully compliant to Working at Height Regulations 2007
- Class A protection to BS EN 13374 on flat surfaces
- Overturning and Topple Over Tested to BS EN 12811
- Platform heights from 700 - 1600mm
- Safe Working load of 750kg per Staybill support unit or 4.5KN/m2 platform load
- Designed to work in both 10' and 13' modules with Anti-Flip and Trip H Frame.
- Load Tested to BS 1139: Part 4
- Handrail height of 1100mm
- No tools or assembly using circlips or fasteners
- Can be used on un-even ground
- Spacer bar polices setting out until last bay
- Shunt detail allows flexibility
- Erected without leaving ground



PRODUCT	MINIMUM HIRE PERIOD	BUILDERS TRESTLES & SCAFFOLD BOARDS
---------	---------------------	-------------------------------------

Size 1	9.40 per wk
Size 2	9.40 per wk
Size 3	9.40 per wk

PRODUCT	Size 1	Size 2	Size 3
CLOSED HEIGHT	450mm	750mm	1050mm
OPEN HEIGHT	750mm	1350mm	1800mm
WEIGHT	9kg	11.5kg	15kg

Builders Trestles

Available in three standard height sizes and designed to accept either four scaffold boards or two staging boards ensuring a safe solid working platform for various site trades such as bricklayers, plasterers & decorators etc.



PRODUCT	MINIMUM HIRE PERIOD
Boards 1.8m	5.00 per wk
Boards 2.4m	6.00 per wk
Boards 3.0m	6.40 per wk
Boards 3.9m	6.80 per wk

Scaffold Boards

Available in lengths from 1.8m to 3.9m.



LIGHTWEIGHT STAGING



PRODUCT WIDTH WEIGHT

PRODUCT	WIDTH	WEIGHT
1.8m	450mm	9kg
2.4m	450mm	11kg
3m	450mm	14kg
3.6m	450mm	17kg
4.2m	450mm	19kg
4.8m	450mm	26kg
5.4m	450mm	30kg
6m	450mm	33kg
6.6m	450mm	38kg
7.2m	450mm	44kg

PRODUCT MINIMUM HIRE PERIOD

Staging 1.8m	23.00 per wk
Staging 2.4m	23.00 per wk
Staging 3.0m	25.00 per wk
Staging 3.6m	32.00 per wk
Staging 4.2m	33.00 per wk
Staging 4.8m	40.00 per wk
Staging 5.4m	43.00 per wk
Staging 6.0m	46.00 per wk
Staging 6.6m	60.00 per wk
Staging 7.2m	78.00 per wk

A safe and strong platform used with steel or aluminium trestles traditionally, to be used in pairs to ensure safe working area and if used above 1.8 metres in height should be accompanied by a handrail system.



STAGING HANDRAIL SYSTEM



Super Staging

Alternative to the standard 450mm wide traditional stagings which are required to be used in pairs, these stagings are 600mm wide conforming to the new working regulations and can be used individually.

PRODUCT MINIMUM HIRE PERIOD

Super Size 1	50.00 per wk
Super Size 2	58.00 per wk
Super Size 3	66.00 per wk


PRODUCT MINIMUM HIRE PERIOD

Handrail 1.8m	22.00 per wk
Handrail 2.4m	24.00 per wk
Handrail 3.0m	28.00 per wk
Handrail 3.6m	37.00 per wk
Handrail 4.2m	47.00 per wk
Handrail 4.8m	55.00 per wk
Handrail 5.4m	62.00 per wk
Handrail 6.0m	71.00 per wk
Handrail 6.6m	79.00 per wk
Handrail 7.2m	85.00 per wk

Staging Handrail System

Complement to traditional stagings where height exceeds 1.8 metres ensuring users are protected from falls.



PRODUCT	MINIMUM HIRE PERIOD	STEP LADDERS
Fibreglass 6	39.00 per wk	
Fibreglass 8	43.00 per wk	
Fibreglass 10	46.00 per wk	
Fibreglass 12	47.00 per wk	
Alloy 6 Tread	34.00 per wk	
Alloy 8 Tread	38.00 per wk	
Alloy 10 Tread	41.00 per wk	
Alloy 12 Tread	43.00 per wk	

Available in Aluminium or non-conductive fibreglass for use in hazardous electrical environments.



PRODUCT	HEIGHT
6 Tread	1.27m
8 Tread	1.69m
10 Tread	2.1m
12 Tread	2.7m

PRODUCT	MINIMUM HIRE PERIOD	WAREHOUSE SAFETY STEPS
6 Tread	58.00 per wk	
8 Tread	66.00 per wk	
10 Tread	72.00 per wk	
12 Tread	84.00 per wk	

This ladder is easy to manoeuvre by one person and extremely useful for reaching items on tall shelving units due to its stability and safety handrails.



COMBINATION LADDER



PRODUCT

MINIMUM HIRE PERIOD

5.8m Open 58.00 per wk

8.6m Open 68.00 per wk

A versatile multi functional product which can be used either as a standard extension ladder or transformed into an extended step ladder according to individual requirements.



EXTENSION LADDERS



PRODUCT

MINIMUM HIRE PERIOD

D 3m (5.25m) 47.00 per wk

D 3.5m (6.25m) 46.00 per wk

D 4.8m (8.25m) 55.00 per wk

D 5.4m (9m) 66.00 per wk

D 6m (11m) 76.00 per wk

T 2.4m (6m) 58.00 per wk

T 3m (7.5m) 61.00 per wk

T 4.2m (10m) 66.00 per wk

T 5.1m (13m) 100.00 per wk

T 6m (16m) 120.00 per wk

Traditional aluminium class 1 extension ladders ideal for site and domestic use in a wide range of heights including rope operated for the tallest of requirements.



PRODUCT	MINIMUM HIRE PERIOD
---------	---------------------

2.9m-4.9m Open	63.00 per wk
----------------	--------------

3.5m-6m Open	79.00 per wk
--------------	--------------

Designed for use in hazardous electrical environments providing a safe alternative to aluminium. Available in two heights of up to 6 metres.



FIBREGLASS LADDERS



PRODUCT	MINIMUM HIRE PERIOD
---------	---------------------

Roof 5.9m	58.00 per wk
-----------	--------------

Roof 6.9m	61.00 per wk
-----------	--------------

Lightweight aluminium construction designed for rolling up and over the roof ridge to create a safe working access, now available in two section extending format for easier transportation.



ROOF LADDER



PRODUCT	MINIMUM HIRE PERIOD
---------	---------------------

Pole 4m	28.00 per wk
---------	--------------

Pole 5m	32.00 per wk
---------	--------------

Pole 6m	36.00 per wk
---------	--------------

Pole 7m	41.00 per wk
---------	--------------

Pole 8m	47.00 per wk
---------	--------------

Pole 9m	51.00 per wk
---------	--------------

Single section wood ladder for use with scaffold or trench applications available in lengths up to 9 metres.



POLE LADDER



PRODUCT	WIDTH	WEIGHT
---------	-------	--------

15 Rung	4m	13.3kg
---------	----	--------

19 Rung	5m	19.2kg
---------	----	--------

23 Rung	6m	22.6kg
---------	----	--------

27 Rung	7m	25.9kg
---------	----	--------

31 Rung	8m	30kg
---------	----	------

23 Rung	9m	33.4kg
---------	----	--------